25X1X

- 1. Following Masaryk Street in Komarno to the west from Stefanik Square for approximately 650 meters, one comes to the crossing of Masaryk Street and the street which heads everythe Danube into Hungary. 700 meters to the west of this intersection, Masaryk Street crosses over a railroad line. Immediately beyond the bridge is the little and Gate (Bratislavska Brana) and 500 meters from this gate its angle to the Skoda Shipyard.
- 2. The direction of the control of t
- 3. The construction of the Skoda Shipyard was started in 1945, inasmuch as the yard on Alsbetin Island (now known as Red Army Island-Ostrov cerveny armady) had proved too small. A firm by the name of LANA carried out the work. In 1948, the assembly shop, the shop for preparatory work, the boiler plant, the store rooms and the launching wys was tested. In 1950, construction of a new, larger assembly shop and all other buildings shown on Annex (B) was started. When source passed by the yard in July 1953, all buildings planned for had been admost completed. The Czechoslovak Construction Works (CSSZ), of Komarno, was responsible for the work.
- 4. The layout of the Skoda Shipyard is as follows. (The numbers in the following description correspond to those on Annex (B).)
 - (1) Administration building, 65 by 20 by 15m, two stories, brick wells 45 cm. thick, flat concrete roof 30 cm. thick. The building had been completed in J in July 1952.
 - (2) Administration building. In July 1952, excevation for the foundation of this building had just been started. When source passed by the wharf in July 1953, the building was completed. It is identical in construction with No. 1. The two administration buildings are to provide space for the offices of the shipyard, which so far have been located in the wooden barracks, Nos. 9, 10, 11 and 12.

CLASSIFICATION SECRET:

STATE X NAVY X NSRB DISTRIBUTION ORR EV X

ARMY X AIR X FBI

BEST COPY Available

- 2 -

(3) Gentral storage building, 50 by 50 by 25m., five stories of concrete. The building was not completed when source left. Therefore, he could not describe the roof. 1952, the foundation had been finished; in July 1953 the but the building is to have five stories:

ding leading to the shippard from the Komarno station.

The vised for the transportation of shippard personnel
the vard and back.

(5) Sand road six meters wide, leading from Komarno to Bratislava. The part of this real side of the administration buildings have been erected on the right side of this road. It will become a feeding road for the shipyard.

1. 11 be detoured to the Komarno-Bratislava high ay already

shop (Montazni hale), 350 by 200 by 20m. As a foundation for this g and No. 6b, a total of 110 concrete pillars 15 by 10 by 3m. were set trumd. (Source does not know exactly how many there were for 6a and how many for 6b). For 6a these pillars were arranged in four rows along the length of the building. These pillars support the steel structure of the building, which was erected by nechanics of the Austrian firm Wiener Brueckenbau-und Lisenkonstruktions-A-G. Three walls of this building are made of concrete slabs 10 cm. thick; the fourth, facing the launching ways, is open and can be closed with corrugated sheet iron. The roof consists of two saddle roofs connected in the middle, each covering half of the width of the building. Glass ventilators are installed along the entire length of the ridges of both saddle roofs, and they are covered with tin.

- (6b) Shop for preparation that all four walls are closed. The roof is the continuation of the one saidle roof of 6a.
- (7) Tool shop (Nastrojarna), 100 by 25 by 10m., one story, brick wells, concrete roof (probably flat). The building was not completed when source saw it last.
- (8) Doorman's shack (Vratnice), 4 by 4 by 3m., brick walls, flat roof of unknown material.
- (9) to (92) toffices (Kancelare), 35 by 10 by 4m., four wooden barracks with saddle roofs (50) covered with tar paper. These barracks propably have been dismantled and all offices moved to Nos. 1 and 2.
 - (13a) Assembly shop (Montazni Hala), 350 by 120 1,6m., steel structure like 6a, walls of concrete slabs, northern wall open. Two-piece roof similar to that
 - (13b) Shop for preparatory work (Pripravna), 100 by 70 by 16m similar to 6b. For the exact arrangement of the interior, see
 - (13c) Launching ways (Draha na spousteni lodi). Three transport of 13a. The launching ways run perpenditude to the state of 13a. They are approximately 50m. wide.

25X1A

- 3 -

- (13d) Acetylene production (Vyroba Acetylenu), 6 by 6 by 4.5m., brick walls, flat roof of unknown material. In this building, acetylene for the yard's use is produced.
- (14) Boiler plant (Kotelna), 30 by 20 by 18m., one story, concrete walls, flat concrete roof. The boiler room is on the ground floor and the armature on the first floor.
- (15a) Old storerooms (Stary sklad), 150 by 35 by 14m., iron construction, walls of cascrete slabs, saddle roof covered with tin. For exact arrangement of the interior, see Annex (D).
- (15b) Addition to 15 a, 15 by 5 by 4m., of brick walls, flat concrete roof, for unloading railroad cars.
- (46) Storage for lacouers (Sklad laku), brick walls, flat roof of unknown makes the lacouers (Sklad laku), brick walls, flat roof of unknown makes the lacouers (Sklad laku), brick walls, flat roof of unknown makes the lacouers (Sklad laku), brick walls, flat roof of unknown makes the lacouers (Sklad laku), brick walls, flat roof of unknown makes the lacouers (Sklad laku), brick walls, flat roof of unknown makes the lacouers (Sklad laku), brick walls, flat roof of unknown makes the lacouers (Sklad laku), brick walls, flat roof of unknown makes the lacouers (Sklad laku), brick walls, flat roof of unknown makes the lacouers (Sklad laku), brick walls, flat roof of unknown makes the lacouers (Sklad laku), brick walls, flat roof of unknown makes the lacouers (Sklad laku), brick walls, flat roof of unknown makes the lacouers (Sklad laku), brick walls, flat roof of unknown makes the lacouers (Sklad laku), brick walls, flat roof of unknown makes the lacouers (Sklad laku), brick walls, flat roof of unknown makes the lacouers (Sklad laku), brick walls, flat roof of unknown makes the lacouers (Sklad laku), brick walls, flat roof of unknown makes the lacouers (Sklad laku), brick walls, flat roof of unknown makes the lacouers (Sklad laku), brick walls, flat roof of unknown makes the lacouers (Sklad laku), brick walls, flat roof of unknown makes the lacouers (Sklad laku), brick walls, flat roof of unknown makes the lacouers (Sklad laku), brick walls, flat roof of unknown makes (Sklad laku), brick walls, flat roof of unknown makes (Sklad laku), brick walls, flat roof of unknown makes (Sklad laku), brick walls, flat roof of unknown makes (Sklad laku), brick walls, flat roof of unknown makes (Sklad laku), brick walls, flat roof of unknown makes (Sklad laku), brick walls, flat roof of unknown makes (Sklad laku), brick walls, flat roof of unknown makes (Sklad laku), brick walls, flat roof of unknown makes (Sklad laku), brick walls, flat roof of unknown makes (Sklad laku), brick walls, flat roof of unknown makes (Sklad laku), brick
- (17a)to(17b
- (18a)to(18b) Gas a community 5m, wide. Can be closed by means of worden frames strung with wire mesh. These doors are secured with chains and padlocks.
- (19a)to(19b) Wire mesh fence, approximately 2,50m. high. The fence is fastened to concrete posts spaced at intervals of 6 to 10 m. At the top, the posts are curved inward and secured with six rows of barbed wire.
- (20a)to(20d) Wooden watch towers, 2 by 2m. and 5 or 6m. high, with a booth on top for the guard.
 - (21a) Main entrance for vehicles, 6m. wide, 2.8m. high. The gate consists of two parts and opens inward. The wings are made of iron frames spun with wire mesh.
 - (21b) Entrance for workers, 1.5m. wide, 2.5m. high. One wing opening to the inside and made of an iron factor spun with wire mesh like those of 21a.
 - (22) Quay made of stone slabs. At normal water level, approximately 1.5m. high.
 - (23) Dead arm of the Danube River which is called "Z' Latter Latter).
 - (24) Alzbetin Island (now the Island of the Red Arm
- 5. In July 1950, the former passenger motor-driven boat as a motor-driven tug boat. The boat has 800 h.p. and her boat as service by now.
- 6. In fall 1951, construction of the largest partition is 180m. long and has 1,100 h.p. on the Damube River. In July 1952, the binterior furnishings had to be installed was yet to be done.

' SECRET

- 4 -

- 7. In addition, passenger motor-driven boats for export to the USSR for use on the Volga-Don Canal were built here. In 1952, the ROSSIA was completed and in July 1952 another boat of the same model and size by the name of UKRAJINA was nearly. (90%) finished. The ROSSIA was taken over by a Russian crew who had come to Komarno on a Soviet vessel. The departure of the ROSSIA was delayed for a long time due to the fact that the hoat was too high and all Danube bridges would have had to be raised four meters to allow it to pass. Although this would have caused a lot of expense and trouble, Gzechoslovakia and Hungary declared their willingness to cooperate. Yugoslavia, on the other hand, refused to comply. After lengthy debates at the shippard, it was decided to dismantle the superstructure of the vessel and to send mechanics along to the USSR who, upon arrival there, would set it up again. Source also heard that reliable mechanics were wanted at the stippard. However, he does not know what came of the plan.
- 25X1A₈

When source passed by the shippard he saw two new vessels of this type which were partly finished—one 80%, the other 50%.

- 9. An unknown number of barges for Hungary and Bulgaria were also built at the yard.
- 10. In June 1952, mass production of patrol boats for the USSR was started. Source assumes that these boats will be used on the Black Sea because they are similar to those he say on the Battle Sea during World War II. From his own experience, source knows that Danube River patrol boats are flat-bottomed, while the boats built at the Skoda yard have long, pointed keels. The boats are approximately 80m. long and from keel to deck about 3.5m. high. On the forward part of the deck, there is a superstructure approximately 3m. high. There is no superstructure on the rear two-thirds of the deck, so that these boats, in case of war, can be used as mine layers and/or minesweepers. The boats each have two screws, driven by two Skoda diesel engines of 240 h.p. each.
- 11. Twelve boats per month were built, so that source saw 24 boats leave the yard. Every one of these boats was taken over by a 15-man Russian crew which arrived at Komarno on Soviet vessels.
- 12. In November or December 1951, a representative of the Construction Section of the Central Committee of the Slovak Communist Party visited the yard to speed up the completion of a new assembly shop with speeches. During his speech, he let fall the fact that, in case of war, submarines and torpedo boats are to be built in this shop.
- 13. The shop for preparatory work (see Annex (C)) is equipped with the following:
 - 6 turning lathes, Wollmann model
 - 2 cutting machines
 - 2 bending machines
 - 4 large steel drawing boards
- 14. Electricity is supplied to the yard by the power plant of the town of Komarno. Source does not know whether gas is used in the yard. If it is, the passwould have to be supplied by the municipal gas works, since no such installations found in the yard. Drinking water is supplied by the municipal water works, which is located on the lighetin Island. The wharf has its own air complete.

- 5 **-**

- All materials, such as sheet iron and steel plates, wood, textiles, insulating material, dyes and lacquers, as well as semi-finished products and products like life boats, engines and ship furniture, are transported to the yard by rail. Finished vessels leave the yard by water via the Danube River. Source did not know where the majority of raw materials were obtained, but he heard that steel sometimes was imported from the USSR. The engines are supplied by the V.I. Lenin Works in Pilsen, while life boats are imported from East Germany.
- There were approximately 4,000 laborers, mostly men, employed in the Skoda ship-yard. Women, of whom there were only a few, mostly worked in the offices or as food carriers. There were not many qualified laborers, except for the mechanics, usually Czechs, who were assigned to the yard directly from the V.I. Lenin Works in Pilsen. Common laborers were compulsorily transferred to the yard from other, not so important plants in Slovakia. So-called kulaks from the vicinity of Komarno whose farms had been confiscated and who had not been taken into collective farms were also working at the yard. Source did not hear of any persons assigned to short-term"brigades". If somebody engaged himself to work at the yard, the contract ran for at least three months but usually for one year, and upon its termination efforts were made to hold the worker at the yard. Source did not see any convicts working at the yard. Average pay for a laborer was 4,500 Kcs.
- 17. Work hours were divided into three shifts, of which the first two (6 a.m. to 2 p.m. and 2 p.m. to 10 p.m.) were evenly filled with 45% of the laborers. The rest of the workers were assigned to the night shift (10 p.m. to 6 a.m.)
- 18. The production plan was not fulfilled 100%. This was not the faul: of the workers and/or the board of directors of the yard, however. The Soviets for whom the boats were built were to blame. While the boats were under construction they deliberately changed their dispositions three to four times, making the complet on of the boats on time impossible. According to the contract, the shippard then had to pay a high penalty for each day the delivery was delayed. It happened that the expenses connected with the building work were higher than the price paid by the Soviets for a boat.
- 19. The Skoda shippard had its own fire brigade. The exact number of its members as well as the type of fire extinguishers at their disposal was unknown to source. During his time of employment on the wharf, a fire broke out on a hoat, which could be extinguished, however, with simple Minimax hand extinguishers. The members of the fire brigade were green uniforms, differing from these of the plant militia only by the fire symbol on the caps.
- 20. The shippard was guarded by militia. The exact number of militia men was unknown to source, but he noticed that 12 men were posted in the yard during one guard shift. Two of them sat in the guard shack at the main gate, two walked up and down the quay, two walked along the fence on the northern side and one of them was posted at the gates through which the four railroad sidings entered the compound. The militia men wore the same green uniforms as the fire brigade with the symbol of the Skoda Works on their caps. Each man was armed with a pistol, and twice a week firing exercises were held at a place unknown to source.
- 21. Entering the yard through the main gate, everybody had to produce his plant pass.
 Upon leaving the plant, the pass had to be produced again and the contents of briefcases, which had to be open when carried through the gate, was inspected.
 Now and then, the laborers underwent a body search. Presumably, such workers were searched as were known to take things out of the yard frequently. It was inspected.

l 25X1.	/

- 6 -

possible at times	to enter the yard u	nobserved throu	gh the gates	for the rail-
road tracks	the militie cuerd	was not always	at his post.	For the
	tion firm it			
with	they were	not so many an	d were known	to most of
the i	eda (imu),	was in charge o	f the militis	and also
was de la	y was 40 yea	rs old, short,	stcut, and ha	ad a round face.
He live				

25X1A 22.

Passing the source noticed soldiers posted at the main gate and to towers manned by one soldier each.

23.

tioned at the yard who had his office in the wooden tion firm. The wooden barracks was later dismantled in office in one of the other buildings. Source is not at the yard after the dismantling of the wooden tel times within the compound.

24.

In the south, the yard is protected by the 300m, wide arm of the Danute and the 400m, wide Alzbetin Island, which is so high that the yard cannot be seen from the Hungarian side of the river. Beyond this island lies the second arm of the Danube, which is also 400m, wide. In the east, the yard is protected by the adjoining harbor. The approach from the west over a plain covered with brushwood is unprotected. The only obstructions for an approach by air are a 40m, high water tower 3.5km, northeast of the shippard and the chimney of the power plant 4 km, east of the yard which is approximately 60 m, high.

25X1A


1.		This	firm	belongs	to	the Soviet-controlled USIA	complex
in	Austria.						


25X1A


2. Source's recollection of this wall was very uncertain.


3. Comment. This was evidently the pay rate prior to the currency reform of June 1953.

Enclosure: 1 photocopy of pass to the Skoda Shipyard at Komarno (2 pages-T/SS)









Approved For Release 2002/07/RS: (FIA-RDP80-00810A003600930002-8

- 12 - Arther (D)

1.

2. 3. 4- 5. 6.

MEMORY SKETCH

25X1A

ECRET

Not drawn to reads

